

Flight Documents

- Briefings
 - Kneeboards
 - Flight Charts
 - Situation Briefs
-
- Kneeboard Examples 11.07.25

Kneeboard Examples

11.07.25

Page 1		DATACARD						
ATIS								
Airbase		Airbase	TCN	UHF	VHF	Elv	RWY	ILS
	DEP	CVN-75 Harry S. Truman	55X	-	127.5	0	-	5
	ARR	Incirlik	21X	360.1	122.1	190ft	05	-
	ALTN	CVN-75 Harry S. Truman	55X	-	127.5	0	-	5
Flight	Pos	Name	IDM	TCN	TO	LND	Notes:	
	1 Lead	F0Xtwo	ED 11	71X	1400-1430	1500-1600	Stick to your flight plan. Only change route if threats appear.	
	2 Wing	reaper	ED 12	72X	1400-1430	1500-1600		
	3 Element	Dylman	ED 13	73X	1400-1430	1500-1600		
	4 Wing	-	-	-	-	-		
Package	Callsign Pack	Aircraft type	UHF	VHF	IDM	TCN	Task	
	Phobator 1	F/A-18C Hornet	301.0	-	ED 11-13	71-73X	Transition	
	Phobator 2	F/A-18C Hornet	302.0	-	SD 11-12	81-82X	Escort	
Flightplan	STPT	Action	HDG	Dist	Mach / GS	Alt	Min.Fuel	Formation
	0	-	-	-	-	-	-	-
	1	Form Up with Phobator 2, Orbit	-	~20NM	300kts	20000ft	6000lbs	Vic
	2	Turn Point	-	34NM	-	25000ft	6000lbs	Vic
	3	Turn Point	-	38NM	-	25000ft	3000lbs	Vic
	4	Turn Point, Prep. Straight in approach	-	23NMM	-	10000ft	2000lbs	Vic
	5	Incirlik	-	15NM	0kts	0ft AGL	2000lbs	-
	6							
	7							
	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
	19							
	20							
	21							
	22							
	23							
	24							
	25							
	26							
	27							
	28							
	29							
	30							
31								

Page 2		DATACARD							
		Callsign	F0xtwo	Package	Phobator 1	Mission	Transition		
TO / Loadout	Config					TO Spec		Fuel	
	A-A	2x AIM-120C AMRAAM		Gross Wgt	47309lbs	Rotation	-	TO Fuel	17536lbs
	A-G	-		Drag ind	-	Refusal	-	Set Fuel	
	ECM	-		ALOW	10000ft	Mil Power	-	JOKER	6000lbs
	Tanks	3x FPU-8A, 2x Travel Pod		MSL	25000ft	Mil Climb	-	BINGO	3000lbs
TGT	Primary					Secondary	-		
	DMPI					DMPI	-		
	Lat&Long					Lat&Long	-		
Weapon	Type					Profile 1		Rel Angle	
	SNSR					Arming dly		SGL/PAIR	
	OPS time					Burst Alt		Ripple	
	Release					Fuse		Spacing	
	Attack type								
Delivery			OA1	OA2	PUP	Pull Hdg			
	TBRG					Climb			
	RNG					Pull Dwn			
	ELV					Turn			
	Ingress Alt		Rel Height			Attack Hdg			
	Ingress Spd		Rel Spd			TGT in HUD			
COMM 1: ARC-210					COMM 2: ARC-210				
Buttons	Button	Purpose	Freq.	Additional	Button	Purpose	Freq.	Additional	
	1	Departure	127.5	55X, 5 ICLS	1	Flight (Phobator 1)	301.0		
	2	CSG (STRIKE)			2	Element (Phobator 1)	301.5		
	3	Recovery (Marshal)	127.5	55X, 5 ICLS	3	Flight (Phobator 2)	302.0		
	4	AWACS (MAGIC)			4	Element (Phobator 2)	302.5		
	5	AWACS (IMAGE)			5				
	6	Tanker (Arco 1-1)		11Y	6				
	7	Incirlik	122.1	21X	7				
	8				8				
	9				9				
	10				10				
	11				11				
	12				12				
	13				13				
	14				14				
	15				15				
	16				16				
	17				17				
	18				18				
	19				19				
20				20					